

IN THE CLAIMS

A presentation of all of the pending Claims with their current status indicated follows.

1. (Currently Amended) A data processing system, comprising:
- a plurality of event modules each including code that generates an event data signal representative of a particular event;
 - a plurality of scripts each having a plurality of instructions;
 - a plurality of processing modules distributed over said data processing system each including code that provides processed data; and
 - a task module, selectively communicating with each of said plurality of event modules and said plurality of distributed processing modules, said task module including code for selecting ~~[and instantiating]~~ one of said plurality of scripts that corresponds to said event data signal and for executing said ~~[instantiated]~~ selected script such that said ~~[instantiated]~~ selected script proceeds to a first of said plurality of distributed processing modules for processing a current one of said plurality of instructions;
- wherein dynamic information comprises statuses of said distributed processing modules and modifications to said ~~[instantiated]~~ selected script including processed data from previously processed ones of said plurality of instructions, and wherein during execution of said ~~[instantiated]~~ selected script said task module provides said dynamic information to said ~~[instantiated]~~ selected script and incorporates said dynamic information into said currently processing instruction for ~~[real-time]~~ consideration thereof, and upon completion of said currently processing instruction said task module evaluates said incorporated dynamic information and processed data from said completed instruction and selectively executes said ~~[instantiated]~~ selected

script such that said ~~[instantiated]~~ selected script proceeds to a second of said distributed processing modules for processing a next instruction within said ~~[instantiated]~~ selected script.

2. (Original) The system as claimed in claim 1 wherein said task module executes two or more of said plurality of scripts substantially simultaneously.

3. (Original) The system as claimed in claim 2 further comprising:

a converter module, in communication with said task module, including code that maps said event data signal to at least one of said two or more of said plurality of scripts upon reception of said event data signal by said task module.

4. (Previously Amended) The system as claimed in claim 1 wherein said plurality of distributed processing modules provide event data signals, representative of particular events, to said task module.

5. (Previously Amended) The system as claimed in claim 1 further comprising:

a status monitoring module, in communication with said task module, including code that provides said status information to said task module including operating conditions of said plurality of distributed processing modules.

6. (Previously Amended) The system as claimed in claim 5 wherein said status monitoring module is in direct communication with said plurality of distributed processing modules.

7. (Previously Amended) The system as claimed in claim 5 wherein during said execution of said instance of said selected script, said status monitoring module stores data associated with said instance of said selected script in an associated memory.

8. (Previously Amended) The system as claimed in claim 1 further comprising:
a load balancing module, in communication with said task module, including code that dynamically selects available ones of said plurality of distributed processing modules to perform processing.

9. (Previously Amended) The system as claimed in claim 8 wherein said load balancing module is in direct communication with said plurality of distributed processing modules.

10. (Previously Amended) The system as claimed in claim 1 wherein said task module interfaces with said plurality of distributed processing modules for bi-directionally and substantially simultaneously transmitting data between said plurality of distributed processing modules and said task module.

11. (Previously Amended) The system as claimed in claim 1 further comprising:
a resource management module, in communication with said task module, including code for monitoring event data signals generated by said plurality of event modules and not processed by said task module and a number of said plurality of distributed processing modules available for performing particular data processing functionality, and for converting data processing functionality of said plurality of distributed processing modules in response to dynamic

information regarding said monitored event data signals and said number of available distributed processing modules to maximize a number of said distributed processing modules processing said event data signals.

12. (Previously Amended) The system as claimed in claim 11 wherein said resource management module is in direct communication with said plurality of distributed processing modules.

13. (Previously Amended) The system as claimed in claim 1 further comprising:
a plurality of initiator modules including code that provides a communication interface between an associated one of said plurality of distributed processing modules and said task module.

14. (Previously Amended) The system as claimed in claim 13 wherein each of said plurality of initiator modules communicates with said associated one of said plurality of distributed processing modules regardless of native applications contained on said associated one of said plurality of distributed processing modules.

15. (Original) The system as claimed in claim 13 further comprising:
a protocol disposed between each of said plurality of initiator modules and said task module for providing a communication interface therebetween.

16. (Previously Amended) The system as claimed in claim 13 further comprising:

a protocol disposed between each of said plurality of initiator modules and said associated one of said plurality of distributed processing modules for providing a communication interface therebetween.

17. (Original) The system as claimed in claim 1 further comprising:

a plurality of client modules including code that provides a communication interface between an associated one of said plurality of event modules and said task module.

18. (Original) The system as described in claim 17 further comprising:

a protocol disposed between said task module and each of said plurality of client modules for providing a communication interface therebetween.

19. (Original) The system as claimed in claim 17 further comprising:

a protocol disposed between each of said plurality of client modules and said associated one of said plurality of event modules for providing a communication interface therebetween.

20. (Original) The system as claimed in claim 1 wherein each of said plurality of scripts is preprogrammed to iteratively update its contents.

21. (Original) The system as claimed in claim 1 further comprising:

a storage module, in communication with said task module, for providing storage for said system.

22. (Original) The system as claimed in claim 21 wherein said storage module comprises a computer-readable medium.

23. (Original) The system as claimed in claim 22 wherein said computer readable medium comprises a persistent memory.

24. (Original) The system as claimed in claim 21 further comprising:
a script building module, in communication with said storage module, including code that creates said plurality of scripts.

25. (Original) The system as claimed in claim 24 wherein said script building module includes a standard language interface.

26. (Original) The system as claimed in claim 24 wherein said script building module includes a graphical user interface.

27. (Original) The system as claimed in claim 24 wherein said script building module dynamically updates and modifies said plurality of scripts.

28. (Original) The system as claimed in claim 1 further comprising:
a protocol for providing a communication interface between said task module and each of said plurality of event modules.

29. (Previously Amended) The system as claimed in claim 1 further comprising:
a protocol for providing a communication interface between said task module and each of
said plurality of distributed processing modules.

30. (Previously Amended) The system as claimed in claim 1 further comprising:
a responder module, in communication with said task module, including code that transmits
response data, resulting from said execution, from said task module in a particular format to said
plurality of distributed processing modules or in a particular format to said plurality of event
modules.

31. (Previously Amended) The system as claimed in claim 1 further comprising:
an administrative module, in communication with said task module, including code that
receives and presents data that relates to said plurality of distributed processing modules.

32. (Previously Amended) The system as claimed in claim 1 further comprising:
a plurality of application peripherals in communication with an associated one of said
plurality of distributed processing modules or an associated one of said plurality of event modules.

33. (Currently Amended) A data processing system, comprising:
a plurality of event modules each including code that generates an event data signal
representative of a particular event;
a plurality of scripts each having a plurality of instructions;

a plurality of processing modules distributed over said data processing system each including code for performing data processing functionality to provide processed data;

a task module, selectively communicating with each of said plurality of event modules and said plurality of distributed processing modules, said task module including code for selecting [~~and instantiating~~] one of said plurality of scripts that correspond to said event data signal and, during execution of said [~~instantiated~~] selected script, for providing dynamic information comprising statuses of said distributed processing modules and modifications to said [~~instantiated~~] selected script including processed data from previously processed ones of said plurality of instructions for incorporating said dynamic information into said currently processing instruction for [~~real-time~~] consideration thereof and, for selectively executing, based on said incorporated dynamic information and processed data from said completed instruction, said [~~instantiated~~] selected script such that said [~~instantiated~~] selected script proceeds to a first and to at least a second of said distributed processing modules for processing instructions within said [~~instantiated~~] selected script; and

a resource management module communicating with each of said plurality of event modules, said task module and said plurality of distributed processing modules, said resource management module including code for monitoring event data signals generated by said plurality of event modules and not processed by said task module and a number of said plurality of distributed processing modules available for performing particular data processing functionality, and for converting data processing functionality of said plurality of distributed processing modules in response to dynamic information regarding said monitored event data signals and said number of available distributed processing modules to maximize a number of said distributed processing modules processing said event data signals.

34. (Currently Amended) A method of data processing comprising the steps of:
generating at least one event data signal at one or more peripheral modules;
mapping said at least one event data signal to a selected script chosen from one or more
scripts, each said one or more scripts having one or more instructions; and

~~[instantiating said selected script; and]~~

executing, by a task module, said ~~[instantiated]~~ selected script such that said ~~[instantiated]~~
selected script proceeds to a first of a plurality of processing modules for processing a current one
of said one or more instructions of said ~~[instantiated]~~ selected script;

wherein dynamic information comprises statuses of said plurality of processing modules
and modifications to said ~~[instantiated]~~ selected script including processed data from previously
processed ones of said one or more instructions, and wherein during execution of said
~~[instantiated]~~ selected script said task module provides said dynamic information to said
~~[instantiated]~~ selected script and incorporates said dynamic information into said currently
processing ones of said one or more instructions for ~~[real-time]~~ consideration thereof, and upon
completion of said currently processing instruction, said task module evaluates said incorporated
dynamic information and processed data from said completed instruction and selectively executes
said ~~[instantiated]~~ selected script such that said ~~[instantiated]~~ selected script proceeds to a second of
-- said plurality of processing modules for processing a next instruction within said ~~[instantiated]~~
selected script.

35. (Original) The method as claimed in claim 34 wherein said one or more peripheral
modules and said task module communicate via a communication interface.

36. (Original) The method as claimed in claim 34 further comprising the step of:
dynamically managing operating functions of said one or more peripheral modules.

37. (Previously Amended) The method as claimed in claim 34 further comprising the steps of:

producing response data signals as a result of said execution of said instance of said selected script; and

transmitting said response data signals from said task module to selected ones of said one or more peripheral modules.

38. (Previously Amended) The method as claimed in claim 37 further comprising the step of:

translating said response data signals transmitted from said task module into a format that said selected ones of said one or more peripheral modules recognize.

39. (Original) The method as claimed in claim 38 further comprising the step of:

storing said event data signals, said one or more scripts and said response data signals in a storage medium that is in communication with said task module.

40. (Original) The method as claimed in claim 39 wherein said storage medium is persistent.

41. (Previously Amended) The method as claimed in claim 34 further comprising the step of:

accessing a protocol to interface between said task module and selected ones of said one or more peripheral modules.

42. (Previously Amended) The method as claimed in claim 34 further comprising the step of:

providing communication between said task module and each of said plurality of processing modules such that said instance of said selected script proceeds to only ones of said plurality of processing modules available for performing processing operations.

43. (Original) The method as claimed in claim 34 wherein said executing step includes the step of:

interfacing with a plurality of said one or more peripheral modules substantially simultaneously.

44. (Original) The method as claimed in claim 34 wherein said executing step executes a plurality of said one or more scripts substantially simultaneously.

45. (Original) The method as claimed in claim 34 wherein said execution of said one or more instructions dynamically incorporates data gathered in previously executed instructions.

46. (Original) The method as claimed in claim 34 further comprising the step of:

providing results of said executing step to an administrative module for presenting information relating to said one or more peripheral modules.

47.-59. (Previously Cancelled)

60. (Currently Amended) In a data processing system, a method for responding to event data, comprising:

receiving event data from a requesting one of a plurality of event modules;

mapping the event data to a selected one of a plurality of scripts, the plurality of scripts including instructions for responding to event data;

~~[instantiating said selected script;]~~

executing, by a task module, the ~~[instantiated]~~ selected script such that the ~~[instantiated]~~ selected script proceeds to a first of a plurality of processing modules for processing of a current one of the instructions of the ~~[instantiated]~~ selected script;

wherein dynamic information comprises statuses of the plurality of processing modules and modifications to the ~~[instantiated]~~ selected script including processed data from previously processed ones of the instructions, and wherein during the execution of the ~~[instantiated]~~ selected script the task module provides the dynamic information to the ~~[instantiated]~~ selected script and incorporates the dynamic information into the currently processing instruction for ~~[real-time]~~ consideration thereof, and upon completion of the currently processing instruction the task module evaluates the incorporated dynamic information and processed data from the completed instruction and selectively executes the ~~[instantiated]~~ selected script such that the ~~[instantiated]~~

selected script proceeds to a second of the plurality of processing modules for processing a next instruction within the [~~instantiated~~] selected script;

building a response profile including results generated during execution of the [~~instantiated~~] selected script; and

wherein when the instructions within the [~~instantiated~~] selected script are completed, transmitting the response profile to the requesting one of the plurality of event modules.

61. (Previously Added) The method as claimed in claim 60 wherein the generated results include event data.

62. (Currently Amended) The method as claimed in claim 60, comprising:

tracing execution of the instructions within [~~the instance of~~] the selected script and processing of the processing modules; and

wherein when a processing module fails, continuing execution of [~~the instance of~~] the selected script and the processing of the processing modules from a last traced instruction.

63. (Currently Amended) A data processing system, comprising:

a plurality of event modules each including code that generates a first event data signal representative of a first event;

a plurality of scripts each having a plurality of instructions;

a plurality of processing modules each including code that provides processed data, a subset of said plurality of processing modules having code that selectively generates a second event data signal representative of a second event; and

a task module, selectively communicating with each of said plurality of event modules and said plurality of processing modules, said task module including code for selecting [~~and instantiating~~] ones of said plurality of scripts that corresponds to said first and second event data signals, and for executing said [~~instantiated~~] selected scripts such that said [~~instantiated~~] selected scripts proceed to a first of said plurality of processing modules for processing a current one of said plurality of instructions within each of said instances;

F wherein dynamic information comprises statuses of said plurality of processing modules and modifications to said [~~instantiated~~] selected scripts including processed data from previously processed instructions, and wherein during execution of said [~~instantiated~~] selected scripts, said task module provides said dynamic information to said [~~instantiated~~] selected scripts and incorporates said dynamic information into said currently processing instructions for [~~real-time~~] consideration thereof, and upon completion of said currently processing instructions, said task module evaluates said incorporated dynamic information and processed data from said completed instructions and selectively executes said [~~instantiated~~] selected scripts such that [~~instantiated~~] selected scripts proceed to a second of said processing modules for processing of a next instruction within said [~~instantiated~~] selected scripts.
